

Essex Conservation Commission

July 7, 1992

A G E N D A

Appointments:

- 7:50 p.m. ... Request for a Determination of Applicability - William Fitts, Lufkin Point Road
- 8:00 p.m. ... Continuation of a public hearing - Gloucester Bank and Trust, property at corner of Western Avenue and Essex Park Road
- 8:15 p.m. ... Clay Morin - submittal of Notices of Intent - S.P.N.E.A, Spring Street and Lot #7, Lowe Hill
- 8:30 p.m. ... Request for a Determination of Applicability - Department of Public Works - cemetery
- 8:45 p.m. ... Public hearing - Essex River Dredging
- 9:15 p.m. ... Public hearing - Essex River Dredging - Marinas

Business:

- Review correspondence
- Sign bills payable voucher
- Sign payroll voucher
- N.B. Next meeting - August 18

Robert Canary, Arthur, ①
David Ed

July 7, 92 Tom 8:15 Nelson 8:20

Pete letter ^{Alon 8:30}
<sub>rel with card
for BPA review</sub>

Ed. Move the the addit for
to easty looking of other
as I do' for celling -
WV of cables
at 900 John Wise Ave.
Sealed Art

Alon from ^{ed} _{Canary Arthur and}

Nelson Center ^{rel with 1001 for}
_{BPA review}
with a 2nd floor on an easty
darker his darker at 8 Apple St.

Ed. We the we allow Nelson
Center 8 Apple St
to put a 2nd floor
on an easty 1st floor with
no change in footprint and
to keep meeting all-22
used for these advice
no other

Sealed Art
Alon from Canary Arthur
To David Ed.

A Report for a job of April. ^①
was seen

Arthur felt some
brokes and would like to
fill a depression
Wants to extend the ^{east}
which has a well to street
Depression 10' x 16' - and 2'
deep.

②
Wants to issue a negative
determination with the
the result have replaced
between the wells and
the work prior to commencement
of work.

Revised Arthur
All - favor Carol David Arthur
②

Carl of P.H. G. G. G. G. G. G.
& Mrs
Clay
Wells level of
country and also wants
in a determination is a letter
to have a survey done
because there is a question

factbookline.

Submitted a request
for a carbon copy until
Aug 18 nearby

Ed. me to allow the ^{calendar}
~~status~~ of the PH to ^{be} ~~at~~
Aug 18 at 5:00pm
sailed down
All - ^{David} ~~from~~ ^{can} ~~att~~
Ed

Clay submitted a AOP
for SPNEA for installation
of water line.

Des' of project in buffer
zone submitted a request
for the ALE date to Aug 18.
Ed me to extend the plan
key date to Aug 18 at
5:45.

Submitted ALE
All from ^{David} ~~can~~ ^{att}
Ed

Tom gets done. 8:15.

Alan 8:30 pm

(4)

IPW R for D of A.
Some Tubing Inspector
with Rating Commission.
Want to put a solid ~~to~~
dug x 24 to increase the
storage capacity (at the ^{or some of} cemetery).
Dug where the soil sand from
existing dug and where with
50' from pond and ^{the} ^{small}
trash, which runs through the
center. Poly grades are
relatively flat

Then they said to cut
see as ^{the} ^{small} ^{the}
pond at ^{the} ^{small} ^{the} ^{small}
gave

James says to feel it's a
good location for it.
then will be 12-15!

Alt - me to issue a regular
deter for 1 to 2
of IPW
Alan 8:30 pm

Carrie Hsia explained
club herbicide spray
on meadows lawn.
Dick Denton posing with
A letter advise written
to him

Re Bd
Remedy plate Van Cuyck
debt-soldiers plan for lowland farm
Salvage a note re Bd fall
when should see set to re Bd state

PH Noel Wedgen 8:47
arrived myself for Bd for ^{to be done} ^{in capital}
West Wendell Mosby
Engineering Co.
Involved for new steel
bridge to ~~the~~ account of
Cross Island. Bridge with
can be transferred
Navy material to safe
gully beyond Cross Island
and fallen to an approved
disposal site
Cost for 60
type of 6' steel
on new water

Many from a special
Danaher of ^{the river} ^{can be} ^{designed} ^{to} ^{create} ^a ^{channel} ^{60'}
wide

Project will be put out
to bid ^{part of} ^{it} ^{later} ⁱⁿ
summer, and is ^{worked on}

planned to be done ^{then}
winter - ^{the} ^{project} ^{will} ^{be} ^{completed}
by ^{next} ^{if} ^{started} ⁱⁿ
winter. ^{There} ^{will} ^{be} ^{an}

excavation ^{and} ^{dredging}
entire ^{with} ^{the} ^{channel}
line ^{plus} ^{some}
disturbance ^{at} ^{the}
of channel some turbidity,

no ^{entire} ^{part} ^{of} ^{the} ^{project} ^{is}
in ^{the} ^{ACSC} ^{but} ^{these}
well away. ^{There} ^{are} ^{active}
clam beds

closed - ^{on} ^{the} ^{plan} ^{is} ^a
limits ^{of} ^{excavation}

bed dredged in 1948

(7)

Indwell ran through plans
closed in pure to show
actual excavation of channel

Project will cost \$500,000
funded by DEAN.

Small contract made by
the Town. All permits
have been filed with NEPA
Copies of Engineers soil
samples have been taken
and analyzed.

Att if the project was granted
provisions are for the
could be less and less maintenance.

Indwell reviewed the specs and 1/2
of redlined has come in
from last survey.
Last seven years about
12 ^{to rise} across the section.

Once they do the design
it will be a full process
start again

P.C. Yes it's a mountain peak.
Dredged 1968 The fuel
to start, water there's
misadventures

A.H. Minimum depth in coast area
P.L. Max height + 9.5
Looking at a 13' depth
And in some cases 10-11

Will the dredges

stay - dredges in 1968
to 1973? to 1980,

Can be broken - will the
be seen near gaske dug
dredging - general

P.W. Yes it will be by
is grouped by three
because most of the work
will be done in the early
then to start October
through December.
Saw Apple to - Lake & Lake

of conduct.

By change were substituted
to be made.

ICP # in product parts

- All work must be performed
with extreme care

RTI Commission serves as U

- Copy of engineer's report
shall be furnished to a
one a month.

- Must to comment of
to project on a case
telephone number of project manager shall
be given to the commission

- Act of Cyphure:

tells to Man AD - We
could like a
NOT details scope of the

paper and info from
 cellars are selected
 the (to edge) of the upper
 zone should be done by
 a typical 50 tons. and
 any other vegetables.
 cellars are with the
 project area

Lower we require to
 above ¹⁰ to note carrots
 on the plan

High level to Dick Decker
 It has been long to
 on what the he has used
 as long used in order of
 the cellars and. Please
 the to act immediately.
 and if you want to show the
 with the long please with
 an agreement from real
 with ~ Aug. 18 by
 City

(an
 case
 cleared)

ED moved to have can
be done for another
year.

Secured ART
All - for

Arthur moved to help
secured ED.
for in for.
10:30.